

**Table 5.14-- WATER QUALITY AT SPECIFIED NEARSHORE AREAS,
HAWAII COUNTY: 2000**

Sampling stations	Number of samples		Enterococcus Density <u>2/</u>	Clostridium Perfringens density <u>3/</u>
	1/			
Hilo:				
Coconut Island	-	-	-	-
Exit of Ice Pond	-	-	-	-
Hilo Bay (Canoe Beach)	8	9	22.0	4.0
Hilo Bay (Lighthouse)	-	-	-	-
Hilo Bay (Off Shore)	-	-	-	-
Honolii Cove (Ocean)	45	45	12.9	2.1
Kapoho Beach Lots #1	-	-	-	-
Keaukaha Beach - 4 Miles	8	9	4.2	0.7
Keokea Bay Beach Park	-	-	-	-
Kolekole Gulch (Stream)	-	-	-	-
Laupahoehoe Point (Boat Ramp)	-	-	-	-
Leleiwi Beach Park	-	-	-	-
Onekahakaha Beach (Swimming Area)	-	-	-	-
Pohoiki	-	-	-	-
Pualaa Beach Park	-	-	-	-
Puhi Bay #2	-	-	-	-
Puhi Bay #3	-	-	-	-
Richardson Ocean Center	-	-	-	-
Richardson Center Hilo Side Beach	-	-	-	-
Vacationland	-	-	-	-
Wailoa River (Boat Ramp)	-	-	-	-
Kona:				
Anaehoomalu Bay	-	-	-	-
Banyan's Surfing Area	-	-	-	-
Hapuna Beach	-	-	-	-
Honaunau Bay (City of Refuge)	-	-	-	-
Honuapo Landing	-	-	-	-
Kahaluu Beach	2	2	5.1	3.1
Kailua Pier Station A	-	-	-	-
Kailua Pier Station A-1	-	-	-	-
Kailua Pier Station D	-	-	-	-
Kauhako Bay - Hookena	-	-	-	-
Kawaihae Harbor	-	-	-	-

(Continued on next page)

(Continued from previous page)

**Table 5.14-- WATER QUALITY AT SPECIFIED NEARSHORE AREAS,
HAWAII COUNTY: 2000**

Sampling stations	Number of samples <u>1/</u>		Enterococcus Density <u>2/</u>	Clostridium Perfringens density <u>3/</u>
Kawaihae Harbor Pier	-	-	-	-
Kealakekua Bay (Off Canoe Landing)	-	-	-	-
Kealakekua Bay (Off Curio Stand)	-	-	-	-
Keauhou Bay	-	-	-	-
Kona Hilton (Shoreline)	-	-	-	-
Magic Sands Beach	-	-	-	-
Mahukona Landing	-	-	-	-
Mauna Kea Beach Hotel (Beach)	-	-	-	-
Milolii	-	-	-	-
Puako Beach Lots (Boat Ramp)	-	-	-	-
Puako Beach Lots (Far End of Lot)	-	-	-	-
Puako Beach Lots (Middle of Lot)	2	2	4.9	2.4
Punaluu	-	-	-	-
Spencer Beach Park	35	35	1.3	1.5

1/ First number Enterococcus samples, second number Clostridium perfringens samples.

2/ Geometric mean, number per 100 ml. The geometric mean standard for enterococci density is 7 per 100 ml.

3/ Clostridium perfringens is being proposed as an additional indicator organism. The proposed standard is dependent upon the salinity of the water sampled. A salinity of greater than 32 parts per thousand would correspond to a median standard of 5 per 100 ml; and a salinity of 0 to 32 parts per thousand would correspond to a median standard of 50 per 100 ml.

Source: Hawaii State Department of Health, Clean Water Branch, records.

